



Attorney Docket No. 1344.1064

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Kohei MURAO

Application No.: 09/818,549

ATTENTION

Confirmation No.: 9436

CERTIFICATE OF CORRECTION

Filed: March 28, 2001

BRANCH

U.S. Patent No.: 6,925,199

Batch No.:

Issued: August 2, 2005

For: COMPUTER READABLE RECORDING MEDIUM RECORDED WITH DIAGNOSIS
SUPPORTING PROGRAM, DIAGNOSIS SUPPORTING APPARATUS AND
DIAGNOSIS SUPPORTING METHOD

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate

APR 24 2006

of Correction

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date: 4-20-06

By: John C. Garvey

John C. Garvey
Registration No. 28,607

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

APR 24 2006

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 6,925,199

DATED : August 2, 2005

INVENTOR(S) : Kohei MURAO

Cover Page, column 2, line 7, change "Aug. 25-29, 1996." to --Aug. 25-29, 1996, pp. 381-385, Vol. 3.--

Column 11, line 21, in claim 13, change "quantities" to --quantities--

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 6,925,199

No. of add'l copies
@ 50¢ per page

⇒

APR 24 2006